


C^{il}
COPPO
di alubel

IsaCoppo



 **alubel**



With an annual turnover in excess of £40 million, Alubel is the largest independent metal profiling company in Italy, specialising in aluminium roofing. A long-established family run business, their unique product portfolio includes trapezoidal roof and wall profiles, secret fix and rainscreen panels – and the Il Coppo range.



'Il Coppo' from Alubel is a profiled metal sheet which gives the appearance of traditional clay tiles. It is lightweight, durable and quick and easy to install.




Individual panels can be supplied up to 10 metres long, eliminating joints and end laps and allowing large roof areas to be covered at speed.



Manufactured from high tensile aluminium, steel or copper, 'Il Coppo' offers a service life of up to 40 years – and, at as little as three kilos per square metre, it is much lighter than terracotta tiles.

Aluminium and steel panels are supplied with a factory-applied high build polyester coating. A range of colours and finishes is offered including a unique 'old tile' weathered finish.

Hip, valley and ridge details are easily created and unavoidable penetrations weathered neatly and effectively using tailor-made components.








Key features and benefits of the 'Il Coppo' range:-

- *Lightweight*
- *Durable*
- *Low Maintenance*
- *Single sheets available up to 10 metres*
- *Choice of materials – aluminium, steel or copper*
- *Choice of colours and finishes*
- *Single skin or insulated panel options*
- *Quick and easy to install*
- *Can be laid at roof pitches from 10° - 45°*
- *Comprehensive range of trims and accessories*

Suitable for refurbishment or new build projects, 'Il Coppo' is a cost-effective and attractive roofing option.

The Coppo Range...

The original metal tile sheet from Alubel, 'Il Coppo' is now produced in both aluminium and steel from coil coated substrate








Individual panels are available in lengths from 2.1 metres up to 10.15 metres in 350mm increments, or one tile pitch.

To ensure the completed roof can satisfy typical loadings, 'Il Coppo' panels should be supported at 350mm c/c.

'Iso Coppo' is an insulated tile sheet with a 30mm polyurethane core which follows the profile of the outer panel.

It is a lightweight and economical insulated panel, ideal for refurbishment projects and where a contribution to noise reduction or insulation value may be required.

The underside of the insulation is faced with a heavy duty aluminium foil designed to be lapped and sealed to prevent vapour ingress. Panels are typically supported and fixed at 700mm c/c, or on a double tile spacing.



'Iso Coppo Flat' is a sophisticated composite insulated panel.

As with the 'Il Coppo' and 'Iso Coppo' panels, the external weather skin is offered in high tensile aluminium or steel.

The panel inner skin, or liner, is 0.4mm gauge steel with a 'shadow rib' profile. It is finished in either bright white polyester or timber effect laminate.

Panel laps are self-sealing with compressible foam gaskets fitted as standard to both external panel edges. The standard 40mm (minimum thickness) panel provides a 'U' value of 0.35.

The 'Iso Coppo Flat' panel has excellent span capability and is ideally suited to a conventional portal frame construction.

...and to finish

